



按照独特韵律

疏密排列的长直贯通线条

即便是随机铺设

都能让空间产生独特的空间纵深感

和令人愉悦的节奏感



21A+21C+22A





按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感







按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感







按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感



11A+11B+11C+22B+22C





按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感



21A+22A+23A





按照独特韵律

疏密排列的长直贯通线条

即便是随机铺设

都能让空间产生独特的空间纵深感

和令人愉悦的节奏感



21A+22A+23A





按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感



21A+22A+23A





按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感



22A+21C+11A+11B+11C





按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感



22A+22B+22C





按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感



22A+22C+23B+23C





按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感



22B+22C+23B+23C





按照独特韵律

疏密排列的长直贯通线条

即便是随机铺设

都能让空间产生独特的空间纵深感

和令人愉悦的节奏感



23A+23B+23C






按照独特韵律  
疏密排列的长直贯通线条  
即便是随机铺设  
都能让空间产生独特的空间纵深感  
和令人愉悦的节奏感







# Installation Instructions:




Herringbone



Gingham



Ashlar



## PRODUCT INFORMATION

Style name/产品名称	长线条		
Construction/ 结构	Multi-level Loop		
Fiber/ 纤维	100% Nylon6		
Dye method/染色工艺	100% solution dyed		
Backing/底背	PVC		
Tufting Gauge/针密	50.00 rows per 10cm		
Pile Weight/绒重	500g/m <sup>2</sup>		
Pile Height/绒高	3-4mm		
Total Thickness/厚度	Approx 6.5mm		
Tile Size/尺寸	250mmx1000mm		
Nbs Smoke 烟密度	(ASTM E 662) less than 450		
Flooring Radiant Panel 临界热辐射通量	Class I (Mean average CRF:0.45 watts/cm <sup>2</sup> or higher)	ASTM E-648	
Electrostatic Propensity 静电倾向	3.0 kV or lower	AATCC 134	
Colourfastness to Light 耐光色牢度	≥4 after 100 hours	AATCC 16E	

## PRODUCT NOTES:

1. Product specifications are derived from averages resulting from normal manufacturing tolerances in yarn, fiber, temperature, humidity and colour. Product specifications may vary within normal industry and standardised testing tolerances.
2. These specifications reflect mean averages based upon tests of production runs of this carpet style by independent laboratories. A range of variances is implicit in the testing process. Furthermore, the standard test methods established to derive the specifications lack a degree of precision and repeatability; therefore, individual test results on the actual carpet purchased may differ from the specifications above.
3. Colours may vary slightly from dye lot to dye lot.
4. Backing or other materials may be changed without prior notice when shortages occur or when technological advancements become available which provide for improvement of the product's performance.
5. All products are 100% recyclable.

